

WEST Search History for Application 10799363

Creation Date: 2009082017:37

Prior Art Searches

| Query | DB | Op. | Plur. | Thes. | Date |
|---|--|-----|-------|-------|------------|
| 7269627.pn. | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| route\$3 adj object with (api or application near interface) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| route\$3 adj object with (message or payload) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| (route\$3 adj object with (message or payload)) and (api or application near interface) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| access with (message or payload) with (name or namespace) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| (pass\$3 or send\$3 or route\$3) with (message or payload) and (access with (message or payload) with (name or namespace)) | PGPB, USPT, USOC, | OR | YES | | 08-20-2009 |

| | | | | | |
|---|--|----|-----|--|------------|
| | EPAB, JPAB, DWPI, TDBD | | | | |
| ((pass\$3 or send\$3 or rout\$3) with (message or pay\$1load) and access with (message or pay\$1load) with (name or namespace)) and (access with (message or pay\$1load) with (name or namespace)) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((pass\$3 or send\$3 or rout\$3) with (message or pay\$1load) and access with (message or pay\$1load) with (name or namespace) and access with (message or pay\$1load) with (name or namespace)) and (payload or message) near context with (abstract\$3 or api or application near interface) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| (payload or message) near context with (abstract\$3 or api or application near interface) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| (payload or message) near context | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((payload or message) near context) and (message or pay\$1load) with (name or namespace) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((payload or message) near context) and (message or pay\$1load) with (name and namespace) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |

| | | | | | |
|--|--|----|-----|--|------------|
| (context or rout\$3 or content) adj object with (name and namespace) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| (message or pay\$1load) ith (abstract\$3 or api or application near interface) with (name and namespace) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| (message or pay\$1load) with (abstract\$3 or api or application near interface) with (name and namespace) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((message or pay\$1load) or (abstract\$3 or api or application near interface)) with (name and namespace) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| (pass\$3 or send\$3 or rout\$3) with (message or pay\$1load) and (((message or pay\$1load) or (abstract\$3 or api or application near interface)) with (name and namespace)) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((pass\$3 or send\$3 or rout\$3) with (message or pay\$1load) and ((message or pay\$1load) or (abstract\$3 or api or application near interface)) with (name and namespace)) @ad<20040312 | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((pass\$3 or send\$3 or rout\$3) with (message or pay\$1load) and ((message or pay\$1load) or (abstract\$3 or api or application near interface)) with (name and namespace)) and @ad<20040312 | PGPB, USPT, USOC, EPAB, | OR | YES | | 08-20-2009 |

| | | | | | |
|--|--|----|-----|--|------------|
| | JPAB, DWPI, TDBD | | | | |
| (message or pay\$load) adj object (name and namespace) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| (message or pay\$load) adj object with (name and namespace) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| (message or pay\$load) adj object with (namespace) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| (707/10),ccls. | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219),ccls. | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| (719/313 719/315 719/316),ccls. | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| | | OR | YES | | 08-20-2009 |

| | | | | | |
|---|--|----|-----|--|------------|
| ((719/313 719/315 719/316).ccls.) or ((709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.) or ((707/10).ccls.) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | | | | |
| ((api or application near interface or abstract\$3 or transparen\$2) near (message near (content or data) or payload)).ab, ti, clm. | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((api or application near interface or abstract\$3 or transparen\$2) near (message near (content or data) or payload)) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| rules with (send\$3 or rout\$3) near message | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| (rules with (send\$3 or rout\$3) near message) and (((api or application near interface or abstract\$3 or transparen\$2) near (message near (content or data) or payload))) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| access\$3 with (message or payload) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload)) | PGPB, USPT, USOC, EPAB, | OR | YES | | 08-20-2009 |

| | | | | | |
|---|--|----|-----|--|------------|
| | JPAB, DWPI, TDBD | | | | |
| ((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload))) and (access\$3 with (message or payload)) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload)) and access\$3 with (message or payload)) and (rules with (send\$3 or rout\$3) near message) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload))) and (rules with (send\$3 or rout\$3) near message) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((719/313 719/315 719/316).cls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).cls. or (707/10).cls.) and (((api or application near interface or abstract\$3 or transparen\$2) near (message near (content or data) or payload))) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| Context near objects with access\$3 with (message or payload) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| Context near objects with (name and namespace) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| Context near objects same (name and namespace) | | OR | YES | | 08-20-2009 |

| | | | | | |
|--|--|----|-----|--|------------|
| | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | | | | |
| ((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload))) and (name and namespace) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload)) and (name and namespace)) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| message near context with (name and namespace) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| message near (information or data or content) with (name and namespace) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| message near (object or information or data or content) with repository | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| (message near (object or information or data or content) with repository) and (rules with (send\$3 or rout\$3) near message) | PGPB, USPT, USOC, EPAB, | OR | YES | | 08-20-2009 |

| | | | | | |
|--|--|----|-----|--|------------|
| | JPAB, DWPI, TDBD | | | | |
| (pass\$3 or send\$3 or rout\$3) near message with (Context near objects or api or application near interface or abstract\$3) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((pass\$3 or send\$3 or rout\$3) near message with (Context near objects or api or application near interface or abstract\$3)) and (name and namespace) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((pass\$3 or send\$3 or rout\$3) near message with (Context near objects or api or application near interface or abstract\$3) and (name and namespace)) and ((719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| (pass\$3 or send\$3 or rout\$3) near message with (Context near objects) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| namespace with (Context near objects) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| namespace with (Context or message) near (objects or information or data) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| namespace with Context with (payload or message) | | OR | YES | | 08-20-2009 |

| | | | | | |
|---|--|----|-----|--|------------|
| | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | | | | |
| Context with (payload or message) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((Context with (payload or message)) and ((pass\$3 or send\$3 or rout\$3) near message with (Context near objects or api or application near interface or abstract\$3)) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((Context with (payload or message) and (pass\$3 or send\$3 or rout\$3) near message with (Context near objects or api or application near interface or abstract\$3)) and ((719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((api or Application near interface) with ((payload or message) near pass\$3 or send\$3 or rout\$3) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((api or Application near interface) with ((payload or message) near pass\$3 or send\$3 or rout\$3)) and ((719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| rules near (send\$3 or rout\$3) and ((api or Application near interface) with ((payload or message) near pass\$3 or send\$3 or rout\$3) and (719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 | PGPB, USPT, USOC, EPAB, | OR | YES | | 08-20-2009 |

| | | | | | |
|--|--|----|-----|--|------------|
| 1709/205 1709/206 1709/207 1709/217 1709/218 1709/219).ccls. or (707/10).ccls.) | JPAB, DWPI, TDBD | | | | |
| ((api or Application near interface) with ((payload or message) near (pass\$3 or send\$3 or rout\$3)) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((api or Application near interface) with ((payload or message) near (pass\$3 or send\$3 or rout\$3))) and rules near (send\$3 or rout\$3) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((api or Application near interface) with ((payload or message) near (pass\$3 or send\$3 or rout\$3)) and rules near (send\$3 or rout\$3)) and ((719/313 1719/315 1719/316).ccls. or (709/201 1709/202 1709/203 1709/204 1709/205 1709/206 1709/207 1709/217 1709/218 1709/219).ccls. or (707/10).ccls.) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| (Context near objects) with (payload or message) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((Context near objects) with (payload or message)) and ((payload or message) near pass\$3 or send\$3 or rout\$3) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| ((Context near objects) with (payload or message)) and (payload or message) near (pass\$3 or send\$3 or rout\$3) | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD | OR | YES | | 08-20-2009 |
| access with (message or pay\$load) with name | | OR | YES | | 08-20-2009 |

| | | | | | |
|--|--|----|-----|--|------------|
| | PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD | | | | |
| (access with (message or payload) with name) and ((719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.) | PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD | OR | YES | | 08-20-2009 |
| (access with (message or payload) with name and (719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.) and (payload or message) with (abstract\$3 or api or application near interface) | PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD | OR | YES | | 08-20-2009 |